

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20020105911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:56
L2	459	"709"/\$.ccls. and (session with fail\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:57
L3	30	"709"/\$.ccls. and (session with fail\$3 with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:58
L4	0	"709"/\$.ccls. and (session with "no" near1 "exist" with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:59
L5	41	"709"/\$.ccls. and (session with "no" with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
L6	0	"709"/\$.ccls. and (session with "nonexist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:04
L7	0	"709"/\$.ccls. and (session with "non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:04
L8	7389	"709"/\$.ccls. and (session same"non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05

EAST Search History

L9	0	"709"/\$.ccls. and (session same "non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
L10	0	"709"/230.ccls. and (d"non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
L11	0	"709"/230.ccls. and ("non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
L12	0	"709"/230.ccls. and ("nonexist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
L13	415	"709"/\$.ccls. and (determin\$3 with "no" with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:06
L14	0	"709"/\$.ccls. and (determin\$3 with "no" with address\$3 with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:06
L15	126	"709"/\$.ccls. and (determin\$3 with "no" with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:07
L16	40	"709"/\$.ccls. and (determin\$3 with fail\$3 with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:08

EAST Search History

L17	2	"709"/\$.cccls. and (determin\$3 with fail\$3 with session with updat\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:21
L18	2	"709"/\$.cccls. and (determin\$3 with fail\$3 with addresses with updat\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:44
L19	2	("6529475").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 18:44
S1	8	709/230.cccls. and list with session\$1 with (URL\$1 or address\$3 or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:01
S2	12	709/230.cccls. and (list or table\$1) with (session\$1 with (MAC or address\$3 or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:24
S3	0	709/230.cccls. and (destination\$1 or endpoint\$1) with (tcp near1 session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:25
S4	0	709/230.cccls. and (destination\$1 or endpoint\$1) same (tcp near1 session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:25
S5	12	709/230.cccls. and (destination\$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:22

EAST Search History

S6	0	709/230.ccls. and (destination\$1 or endpoint\$1) same (tcp with session\$1) with (list or table) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:22
S7	0	709/230.ccls. and (destination\$1 or endpoint\$1) same (tcp with session\$1) same (list or table) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:27
S8	12	709/230.ccls. and (destination\$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 17:40
S9	12	709/230.ccls. and ((destination\$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29
S10	0	709/230.ccls. and ((determin\$4 near1 (destination\$1 or endpoint\$1)) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29
S11	0	709/230.ccls. and ((select\$4 near1 (destination\$1 or endpoint\$1)) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29
S12	12	709/230.ccls. and ((destination\$1 or endpoint\$1) with(tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:50
S13	0	709/230.ccls. and (determin\$3 near1 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:51

EAST Search History

S14	0	709/230.ccls. and (determin\$3 near3 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:51
S15	0	709/230.ccls. and (determin\$3 with (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:52
S16	14	(determin\$3 with (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:52
S17	5	(determin\$3 near2 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:59
S18	4	(redirect with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:03
S19	46	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:05
S20	3	709/238.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 12:50
S21	3	709/230.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:08

EAST Search History

S22	4	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1 near1 ("id" or identification\$1)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:22
S23	2	("0681052").PN.	USPAT; USOCR	OR	OFF	2005/09/07 13:22
S24	1	("6810521").PN.	USPAT; USOCR	OR	OFF	2005/09/07 13:23
S25	2	("6532241").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:24
S26	2	("20010037406").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:25
S27	2	("20020091844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:28
S28	2	("6067300").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:33
S29	2	("20020073232").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:33
S30	3	("6917587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:34

EAST Search History

S31	3	("6601101").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:36
S32	2	("6754710").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:30
S33	2	("20030016653").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:30
S34	1	("20030016653").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 13:32
S35	4	"709"/\$.ccls. and "Real Time transfer Control Protocol".	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:34
S36	1	"709"/\$.ccls. and "Real Time transfer Control Protocol" and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:42
S37	52	"709"/\$.ccls. and "Real Time Control Protocol" and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:43
S38	52	"709"/\$.ccls. and "Real Time Control Protocol" and packet\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:43
S39	47	"709"/\$.ccls. and "Real Time Control Protocol" and packet\$1 and session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:44

EAST Search History

S40	7	"709"/\$.ccls. and "Real Time Control Protocol" same packet\$1 same session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:44
S41	3	"709"/\$.ccls. and "Real Time Control Protocol" same packet\$1 with session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:11
S42	1	("6798,751").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:12
S43	1	("6778534").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:12
S44	1	("6601101").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:26
S45	21	"709"/\$.ccls. and (flag with sessions) and @ad<="20011022"	USPAT	OR	OFF	2005/09/08 14:27
S46	23	"709"/\$.ccls. and (flag with sessions) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:27
S47	23	"709"/\$.ccls. and (flag with sessions and perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 17:57
S48	49	"709"/\$.ccls. and (flag with status\$3 with perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29
S49	7	"709"/\$.ccls. and (flag with status\$3 near2 perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29

EAST Search History

S50	0	"709"/\$.ccls. and (flag with status\$3 near2 perform\$4)same session and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29
S51	2	"709"/\$.ccls. and (flag with status\$3 with perform\$4)same session and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:06
S52	1	("6798751").PN.	USPAT; USOCR	OR	OFF	2005/09/08 15:06
S53	0	(network and perform\$3 and monitor\$).ti. and session with identi\$5 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:22
S54	0	(network and perform\$3 and monitor\$).ti. and session\$1 with identi\$5 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:23
S55	3	(network and perform\$3 and monitor\$).ti. and sessions and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:34
S56	154	(network and perform\$3 and monitor\$).ab. and sessions and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:34
S57	21	(network and perform\$3 and monitor\$).ab. and sessions with identi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:59
S58	1	(network and perform\$3 and monitor\$).ab. and (sessions with identi\$4 with table\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:38

EAST Search History

S59	0	(network and perform\$3 and monitor\$) same (sessions with identifi\$4 with table\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:38
S60	760	(network and perform\$3 and monitor\$) and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:59
S61	11	(network and perform\$3 and monitor\$) same sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:08
S62	67	709/223.ccls. and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:09
S63	73	709/224.ccls. and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:11
S64	16	709/224.ccls. and perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:12
S65	3	709/224.ccls. and monitor\$3 with perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:39
S66	9	monitor\$3 with perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:35

EAST Search History

S67	4	monitor\$3 with perform\$4 with sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:53
S68	14	monitor\$3 with perform\$4 same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:58
S69	4	diagnostic same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:00
S70	0	diagnostic with perform\$3 same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:00
S71	84	diagnostic with perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:00
S72	0	diagnostic with network near2 perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:01
S73	17	monitor\$3 with network near2 perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:23
S74	1	("5101402").PN.	USPAT; USOCR	OR	OFF	2006/03/30 18:26
S75	11	(network near1 monitor\$1) and sessions with table and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 18:28

EAST Search History

S76	48	(network near1 monitor\$1) and sessions with table and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:28
S77	10	(network near1 monitor\$1) and sessions with table with updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:48
S78	994	(session near2 monitor\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:49
S79	38	(network near2 session near2 monitor\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:49
S80	20	(network near2 session near2 monitor\$3) and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:49
S81	2	("20030120789").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 11:47
S82	2094	709/230.ccls. RTCP and (session\$1 with monitor\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 17:41
S83	2059	709/230.ccls. RTCP and (session\$1 adj2 monitor\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:41

EAST Search History

S84	2057	709/230.ccls. RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:42
S85	2052	709/230.ccls. RTCP same(session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:42
S86	2050	709/230.ccls. RTCP same(session\$1 adj2 monitor\$4) and (session with identif\$4) and (updat\$4 with record\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S87	0	709/230.ccls. and RTCP same(session\$1 adj2 monitor\$4) and (session with identif\$4) and (updat\$4 with record\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S88	1	709/230.ccls. and RTCP same(session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S89	1	709/230.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S90	5	"709"/\$.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:52
S91	2	"709"/\$.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4 with addresses) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:48

EAST Search History

S92	7	"709"/\$.ccls. and RTCP and (session\$1 with monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:55
S93	19	RTCP and (session\$1 with monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:55
S94	5	RTCP and (session\$1 with monitor\$4) and (session with identif\$4 with addresses) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:58
S95	0	RTCP and (session with identif\$4 with addresses with start\$3 with end\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S96	0	RTCP and (session with identif\$4 with addresses with send\$3 with recei\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S97	0	RTCP and (session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S98	49	(session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00
S99	0	monitor\$3 same (session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00

EAST Search History

S10 0	29	monitor\$3 and (session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00
S10 1	2	("6232874").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 12:31
S10 2	2	("5491749").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 09:48
S10 3	2	("6601170").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:42
S10 4	2	("6851052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:42
S10 5	2	("6356595").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:53
S10 6	2	("5438622").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 14:06
S10 7	2	("6356595").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 14:06

EAST Search History

S108	85	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:24
S109	10	"709"/230.ccls. and ((session near1 identi\$5) with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S110	0	"709"/230.ccls. and ((session near1 identi\$5) with address\$3 with logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S111	0	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3 with logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S112	1	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3 same logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:30
S113	7	"709"/\$.ccls. and ((session near1 identi\$5) with network near1 address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:35
S114	5	"709"/\$.ccls. and ((session near1 identifier\$1) with network near1 address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:45
S115	2	("20030033428").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:44

EAST Search History

S11 6	6	((session near1 identifier\$1) with network near1 address\$3) and monitor\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:21
S11 7	2	("20040073667").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:00
S11 8	1	("20050240763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:00
S11 9	2	("20030154403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:03
S12 0	2	("5875296").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:03
S12 1	75	(mask\$3 "and" "or" "Xor") near5 (filter\$3 Sort\$3 classify\$3 categori\$5) with (credential sensitive (social adj3 security)SSN password name) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:38
S12 2	2	("20020091843").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:22
S12 3	76	(session and monitor\$3).ti. and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:23

EAST Search History

S12 4	6	(session and monitor\$3).ti. and (session near3 identif\$5) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:24
S12 5	0	(session and monitor\$3).ti. and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:24
S12 6	6	(session and monitor\$3).ab. and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:31
S12 7	4	(session adj1 monitor\$3) and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:32
S12 8	13	(session adj2 monitor\$3) and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:14
S12 9	16	header with ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:15
S13 0	14	header with ((session adj3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:15
S13 1	5	header with ((session adj3 identif\$5) with address\$1) and monitor\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 18:15

EAST Search History

S13 2	1	((session adj3 identif\$5) with address\$1) with performance\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 18:17
S13 3	4	((session adj3 identif\$5)) with (performance\$1 with information\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23
S13 4	139	((session) with (packet with los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23
S13 5	4760	((session) with (packet wnear3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23
S13 6	117	((session) with (packet near3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:24
S13 7	117	((session\$1) with (packet near3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:24
S13 8	12	((session\$1) with (packet near3 los\$4)).ab. and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:25
S13 9	537243	((report\$3 log\$1)((session\$1) with (packet near3 los\$4))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:25

EAST Search History

S14 0	6	((report\$3 log\$1)with((session\$1) with (packet near3 los\$4))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 16:56
----------	---	---	---	----	----	------------------